# SAFETY DATA SHEET

# **Procare Washroom**

## UNICARE (CHEMICALS) LTD

### 1 Identification

#### Product Identifier: Procare Washroom

#### Other means of identification: Not applicable.

### <u>Recommended use of the chemical and restriction on use:</u> Toilet and bathroom cleaner

## Supplier's details:

Unicare (Chemicals) Ltd, Aradhippou Industrial Area 7101, Larnaca, Cyprus P.O Box 54088 Tel.: +357 24531766, +357 24533765 Fax: +357 24532111 Email: team@unicaregroup.com

### Emergency phone number

1401

## 2 Hazard(s) identification

### Classification of the substance or mixture According to regulation (EC) No 1272/2008 [CLP] Skin Corrosion / irritation: Hazard Category 1 Serious Eye Damage / eye irritation: Hazard Category 1

Flammable Liquid: Hazard Category 3

### **GHS Label Element**



Signal Word: Danger

### **Hazard Statements:**

Causes severe skin burns and eye damage. Causes serious eye damage. Flammable liquid and vapour.

### **Precautionary Statement**

Do not breathe dust/fume/gas/mist/vapours/spray. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/light equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep away from heat/sparks/open flames/hot surfaces. No smoking. Wash your hands thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use Pulverized water, foam, dry chemical & carbon dioxide for extinction.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing.

Immediately call a POISON CENTER or doctor/physician.

Keep container tightly closed. Store in a well ventilated place. Keep cool. Store locked up. Dispose of contents/container to waste according to national / local regulations.

## Other hazards which do not result in classification

Results of PBT and vPvB assessment

- PBT: Not applicable.
- vPvB: Not applicable.

## 3 Composition/information on ingredients

### Mixture

Description	- CAS Number - EINECS Number - Reach registration number	Concentration (% w/w)	Note / Classification
Isopropyl alcohol	- 67-63-0 - 200-661-7 - N/A		Flam. Liq. 2, H225; Eye Irrit. 2, H319; STOT SE 3, H336
Phosphoric acid	- 405161-39-9 - 676-971-5 - N/A		Skin Corr./irrit. 1, H314; Eye Dam. 1, H318; Skin irrit. 2, H315
Alcohols, C11-13-branched, ethoxylated (>2.5 moles EO)	- 68439-54-3 - 931-985-3 - N/A		Acute (oral) Tox. 4, H302; Eye Dam. 1, H318
Quaternary ammonium compounds, benzyl (C12 - C16) alkyl dimethyl, chlorides	- 68424-85-1 - 270-325-2 - N/A	1.2 - 1.5	Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Aquatic 1, H400 (M⊨10); Acute Tox. 4, H302

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

### 4 First-aid measures

### Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, and consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

## Most important symptoms/effects, acute and delayed

Most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.

## Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5 Fire-fighting measures

## Extinguishing media

## Flash Point & Method

None

### Suitable Extinguishing Media

Pulverized water, foam, dry chemical & carbon dioxide

FIRE HAZARD. Flammable. INDIRECT FIRE HAZARD. May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.

## Specific hazards arising from the chemical

Carbon monoxide, carbon dioxide, formaldehyde as well as other toxic vapours and gases which are common to thermal degradation (in case of fire) of organic compounds.

## Special protective actions for fire-fighters

Wear self-contained breathing apparatus and full protective gear.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures see, Section 8.

## Environmental precautions

No special precautions necessary.

## Methods and materials for containment and cleaning up

For containment:

Contain released substance, pump into suitable containers. Consult "Material-handling" to select material of containers. Plug the leak, cut off the supply. Dam up the liquid spill. Try to reduce evaporation. Provide equipment/receptacles with earthling. Do not use compressed air for pumping over spills.

### Methods for cleaning up:

Take up liquid spill into absorbent material, e.g.: dry sand/earth/vermiculite or powdered limestone.

Scoop absorbed substance into closing containers. See "Material-handling" for suitable container materials. Damaged containers must be emptied. Do not use compressed air for pumping over spills. Carefully collect the spill/leftovers.

Clean contaminated surfaces with an excess of water. Dispose collected spill to suitable waste. Wash clothing and equipment after handling.

### 7 Handling and storage

### Precautions for safe handling

Comply with the legal requirements. Remove contaminated clothing immediately. Clean contaminated clothing. Handle uncleaned empty containers as full ones.

Thoroughly clean/dry the installation before use.

Do not discharge the waste into the drain. Do not use compressed air for pumping over.

Use spark-/explosion proof appliances and lighting system.

Take precautions against electrostatic charges. Keep away from naked flames/heat.

Keep away from ignition sources/sparks.

Observe normal hygiene standards. Keep container tightly closed.

### Protection against fire and explosion

Mark the danger area. Consider evacuation. Seal off low-lying areas. Close doors and windows of adjacent premises. Stop engines and no smoking. No naked flames or sparks. Spark- and explosion-proof appliances and lighting equipment. Keep containers closed.

### Conditions for safe storage, including any incompatibilities

Incompatible products: Strong oxidizers. Incompatible materials: Direct sunlight. Heat sources. Sources of ignition.

Heat-ignition: KEEP SUBSTANCE AWAY FROM: heat sources. Ignition sources.

### Storage stability:

Store in a cool area. Store in a dry area. Ventilation at floor level. Fireproof storeroom. Provide for an automatic sprinkler system. Provide for a tub to collect spills. Provide the tank with earthling.

### Packing material:

SUITABLE MATERIAL: Teflon, polyethylene, polypropylene, zinc

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

### 8 Exposure controls/personal protection

### Control parameters

Ingredients with limit values that require monitoring at the workplace:

Isopropanol (CAS:67-63-0)				
ACGIH	ACGIH TWA (ppm)	200 ppm		
ACGIH	ACGIH STEL (ppm)	200 ppm		
OSHA	OSHA PEL (TWA) (mg/m³)	980 mg/m³		
OSHA	OSHA PEL (TWA) (ppm)	400 ppm		

ACGIH: American Conference of Governmental Industrial Hygienists OSHA: Occupational Safety and Health Administration TWA: Time-Weighted Average concentration STEL: Short Term Exposure Limit PEL: Permissible Exposure Limit **Appropriate engineering controls:** Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

# Personal protective equipment Respiratory protection:

Respiratory protection in case of vapour/aerosol release. (Particle filter EN 143 P2 or FFP2)

## Hand protection:

Chemical resistant protective gloves. (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

## Eye protection:

Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

## Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

## General safety and hygiene measures

Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work.

# Handle in accordance with good industrial hygiene and safety practice.

## 9 Physical and chemical properties

## Physical and chemical properties

- **General Information**
- Appearance:
  - Form: Liquid Colour: Orange Clear
- Odour: Orange
- Odour threshold: Not determined
- pH-value: 1.5 2.0
- Specific gravity: 0.95 0.97
- Change in condition
   Melting point/Melting range: Not determined
   Boiling point/Boiling range: Not determined
- Flash point: Not determined
- Flammability (solid, gaseous): Not applicable
- Ignition temperature: Not applicable
- Decomposition temperature: Not determined
- Self-igniting: Product is not self-igniting.
- Danger of explosion: Product does not present an explosion hazard.
- Explosion limits:
  - Lower: Not determined.

Upper: Not determined.

- Vapour pressure at 20 °C: Not determined
- Density at 20 °C: Not determined
- Solubility in / Miscibility with water: Miscible
- Partition coefficient (n-octanol/water): Not determined
- Viscosity: Dynamic: 35 - 55 (spindle 1 at 100 RPM) Kinematic: Not determined

## 10 Stability and reactivity

## Reactivity

May react violently with oxidants.

### Chemical stability

No specific test data related to reactivity available for this product or its ingredients.

## **Possibility of hazardous reactions** No hazardous reactions when stored and handled according to instructions.

**Conditions to avoid** See SDS Section 7 - Handling and storage.

### Incompatible materials

Substances to avoid: Avoid contact with oxidising agents (e.g. nitric acid, peroxides and chromates). Strong acids

### Hazardous decomposition products

In case of fire: carbon dioxide, carbon monoxide

### 11 Toxicological information

# The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

## Toxicological (health) effects

Acute toxicity: Assessment: Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Assessment: Causes severe skin burns / Irritant to skin.

Serious eye damage/irritation: Assessment: Cause serious eye damage.

Respiratory or skin sensitisation: Assessment: Based on available data, the classification criteria are not met.

Germ cell mutagenicity: Assessment: Based on available data, the classification criteria are not met.

Carcinogenicity: Assessment: Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Assessment: Based on available data, the classification criteria are not met. **STOT-single exposure:** Assessment: Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Assessment: Based on available data, the classification criteria are not met.

Aspiration hazard: Assessment: No aspiration hazard expected.

Symptoms related to the physical, chemical and toxicological characteristics: Not available data.

Numerical measures of toxicity (such as acute toxicity estimates): Not available data.

## Toxicological Data: Isopropyl Alcohol (2-Propanol) (CAS: 67-63-0)

LD<sub>50</sub> oral rat:

5045 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Experimental value; 5840 mg/kg body weight; Rat) LD<sub>50</sub> dermal rabbit:

12870 mg/kg (Rabbit; Experimental value; Equivalent or similar to OECD 402; 16.4; Rabbit)

LC<sub>50</sub> inhalation rat (mg/l):

73 mg/l/4h (Rat)

ATE US (oral):

5045.000 mg/kg body weight

ATE US (dermal):

12870.000 mg/kg body weight

ATE US (vapours):

73.000 mg/l/4h

ATE US (dust, mist):

73.000 mg/l/4h

# Toxicological Data: Alcohols, C11-13-branched, ethoxylated (>2.5 moles EO) (CAS: 68439-54-3)

ogioui i	Acute oral toxicity:	LD50 Rat: > 300 - 2.000 mg/kg; Assessment: harmful if swallowed.
	Acute dermal toxicity:	LD50 Rat: > 2.000 mg/kg; Assessment: the classification criteria are not met
	Skin corrosion / irritation Skin irritation:	Rabbit: not irritating; Assessment: the classification criteria are not met
	Serious eye damage/eye irritation Eye irritation:	Rabbit: highly irritating; Assessment: Causes serious eye damage.
	Respiratory or skin Sensitisation:	Guinea pig: not sensitizing; Assessment: the classification criteria are not met.
	Germ cell mutagenicity / Genotoxicity in vitro:	Ames test; Salmonella typhimurium; assessment: the classification criteria are not met.
	Carcinogenicity:	No available data.
	Reproductive toxicity:	No available data.
	Teratogenicity:	No available data.
	STOT - single exposure:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
	STOT - repeated exposure:	No available data.
	Aspiration hazard:	Not applicable.
	Toxicological information:	No available data.

## Toxicological Data: Benzalkonium chloride (CAS: 68424-85-1)

<u>Acute toxicity LD<sub>50</sub> Oral</u> Mouse - 150 mg/kg Remarks: Behavioral: Somnolence (general depressed activity). Blood: Hemorrhage.

LD<sub>50</sub> Dermal Rat - 1.420 mg/kg Remarks: Behavioral: Somnolence (general depressed activity). Blood: Hemorrhage

## 12 Ecological information

## **Toxicity:**

**Eco toxicity** No relevant information available.

## Persistence and Degradability

No relevant information available.

## Bioaccumulation

No relevant information available.

**Mobility in soil** No relevant information available.

## **Other Adverse Effects**

No relevant information available.

## Ecological Data: Isopropyl Alcohol (2-Propanol) (CAS: 67-63-0)

LC50 fish 1: 4200 mg/l (96 h; Rasbora heteromorpha; Flow-through system) EC50 Daphnia 1: > 10000 mg/l (48 h; Daphnia magna) LC50 fish 2: 9640 mg/l (96 h; Pimephales promelas; Lethal) EC50 Daphnia 2: 13299 mg/l (48 h; Daphnia magna) Threshold limit algae1: > 1000 mg/l (72 h; Scenedesmus subspicatus; Growth rate) Threshold limit algae 2: 1800 mg/l (72 h; Algae; Cell numbers)

Ecological Data: Alcohols, C11-13-branched, ethoxylated (>2.5 moles EO) (CAS: 68439-54-3)

Toxicity to fish :

EC50 > 1-10 mg/l (96 h; Cyprinus carpio; Flow-through system)

<u>Toxicity to Daphnia</u>: EC50 > 1 - 10 mg/l (48 h; Daphnia magna)

Toxicity to invertebrates: EC50 > 1 - 10 mg/l (72 h, Desmodesmus subspicatus)

Toxicity to microorganisms: EC10 > 10.000 mg/l (Pseudomonas putida: ISO 10712)

<u>Toxicity to aquatic plants:</u> NOEC: 100 mg/kg (Triticum aestivum, Lepidium sativum, Brassica alba)

## Ecological Data: Benzalkonium chloride (CAS: 68424-85-1)

Toxicity to fish:

mortality LOEC - Oncorhynchus kisutch - 17,8 mg/l - 3,0 d

LC<sub>50</sub> - Lepomis macrochirus - 0,31 mg/l - 96,0 h

mortality NOEC - Oncorhynchus kisutch - 10 mg/l - 3,0 d

## 13 Disposal considerations

### Disposal methods

The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

### 14 Transport information

UN Number: ADR/RID, IMDG, IATA: UN 2924

**UN Proper Shipping Name:** ADR/RID, IMDG, IATA: Flammable liquid, Corrosive substances. (isopropanol (isopropyl alcohol), phosphoric acid, solution)

Transport hazard class(es): 3 + 8

Packing group, if applicable: ||

Environmental hazards: Not applicable.

Special precaution for user: Flammable liquid / Corrosive substances (see section 7)

Transport in bulk according to Annex II of Marpol 73/78 and the IBCcode: Not applicable.

### 15 Regulatory information

Safety, health and environmental regulations specific for the product in question

- Directive 2012/18/EU
- Named dangerous substances ANNEX I: None of the ingredients is listed.

Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

### 16 Other information

### Other Information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

### • Abbreviations and acronyms:

ACGIH: American Conference of Governmental Industrial Hygienists
 ADR: European Agreement concerning the Carriage of Dangerous Goods by Road
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances
 GHS: Globally Harmonised System of Classification and Labelling of Chemicals
 IATA: International Air Transport Association
 IMDG: International Maritime Code for Dangerous Goods International
 OSHA: Occupational Safety and Health Administration

**PBT:** Persistent, Bioaccumulative and Toxic

PEL: Permissible Exposure Limit

**STEL:** Short Term Exposure Limit

**TWA:** Time-Weighted Average concentration

**VOC:** Volatile Organic Compounds (USA, EU)

 $\textbf{vPvB:}\xspace$  very Persistent and very Bioaccumulative

H225: Highly flammable liquid and vapor.

- H226: Flammable liquid and vapor.
- H302: Harmful if swallowed.
- H314: Causes severe skin burns and eye damage.
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H319: Causes serious eye irritation.
- H336: May cause drowsiness or dizziness.
- H400: Very toxic to aquatic life.
- H412: Harmful to aquatic life with long lasting results.

Flam. Liq. 2: Flammable liquid; Hazard Category 2
Flam. Liq. 3: Flammable liquid; Hazard Category 3
Acute Tox.(oral) 4: Acute oral toxicity; Hazard Category 4
Skin Corr. IB: Skin corrosion / irritation; Hazard Category 1B
Skin Irrit. 2: Skin corrosion / irritation; Hazard Category 2
Eye Dam. 1: Serious eye damage / eye irritation; Hazard Category 1
Eye Irrit. 2: Serious eye damage / eye irritation; Hazard Category 2
STOT SE 3: Specific target organ toxicity – single exposure; Hazard Category 3
Aquatic Acute 1: Acute aquatic hazard; Hazard Category 1
Aquatic Chronic 1: Long-term aquatic hazard; Hazard Category 1