

## SAFETY DATA SHEET

Page 1 of 3

# Unicare professional

Revision 0
Revision date

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND THE COMPANY

Product name Unicare professional

Company Unicare (Chemicals)Limited

P.O.Box 54088

3720 Limassol ,Cyprus team@unicaregroup.com www.unicaregroup.com

**Telephone** +357 25392806, +357 25711055

Fax +357 25392077

**Emergency telephone** 

number

Cyprus 1401 - Gr. 2107793777

**Supplier** Unicare (Chemicals) S.A.

Gardenias 32 Acharnai Attikis T.K. 13672 Athens

Tel: +210 2855400 / +210 2832400

Fax: +210 2828300

#### 2. COMPOSITION / INFORMATION ON INGREDIENTS

#### Hazardous ingredients

	Conc.	CAS	EINECS	Symbols/Risk phrases
Sodium carbonate	20 - 30%	497-19-8	207-838-8	Xi; R36
Alcohol C12-14 poly(7) ethoxylate	1 - 10%	68439-50-9		Xn; R22 Xi; R38 N; R50
sodium carbonate peroxide	10 - 20%	15630-89-4		O; R8 Xn; R22 Xi; R36/38
Dodecyl Benzene sulphonate 80 %	1 - 10%	68411-30-3		Xn; R22 Xi; R38-41
Disodium silicate	1 - 10%	1344-09-8		Xi; R38-41
Methanol		67-56-1	200-659-6	F; R11 T; R23/24/25-39/23/24/25
Charming Orchard	0 - 0.5%			Xi;R43 N;R51/53

#### 3. HAZARDS IDENTIFICATION

Main hazards Irritating to eyes and skin.

#### 4. FIRST AID MEASURES

Skin contact Irritating to skin. Wash off immediately with plenty of soap and water. Remove

contaminated clothing. Seek medical attention if irritation or symptoms persist.

Eye contact Irritating to eyes. Rinse immediately with plenty of water for 15 minutes holding the

eyelids open. Seek medical attention if irritation or symptoms persist.

Inhalation Irritating to respiratory system. Inhalation may cause coughing, tightness of the chest

and irritation of the respiratory system. Move the exposed person to fresh air. Seek

medical attention.

Ingestion Ingestion may cause nausea and vomiting. Seek medical attention if irritation or

symptoms persist. DO NOT INDUCE VOMITING.

Print date 18-Oct-2007

## Unicare professional

Revision 0
Revision date

#### 5. FIRE FIGHTING MEASURES

**Extinguishing media** Carbon oxides.

Fire hazards Burning produces irritating, toxic and obnoxious fumes.

Protective equipment Wear suitable respiratory equipment when necessary.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable

protective equipment.

**Environmental precautions** Do not allow product to enter drains. Prevent further spillage if safe.

Clean up methods Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area

thoroughly with plenty of water.

## 7. HANDLING AND STORAGE

**Handling** Avoid contact with eyes and skin. Ensure adequate ventilation of the working area.

Adopt best Manual Handling considerations when handling, carrying and dispensing.

Storage Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in

correctly labelled containers.

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

#### **Exposure limits**

Methanol WEL 8-hr limit ppm: 200 WEL 8-hr limit mg/m3: 266

WEL 15 min limit ppm: 250 WEL 15 min limit mg/m3: 333

**Engineering measures** Ensure adequate ventilation of the working area.

**Respiratory protection** Wear: Suitable respiratory equipment.

Hand protection Chemical resistant gloves (PVC)

**Eye protection** Approved safety goggles.

**Protective equipment** Wear chemical protective clothing.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

DescriptionPowder.ColourWhite.OdourAromatic.

**pH** 0.25% solution 10 -11

Relative density 480 -520 gr /lt

#### 10. STABILITY AND REACTIVITY

**Stability** Stable under normal conditions.

#### 11. TOXICOLOGICAL INFORMATION

## 12. ECOLOGICAL INFORMATION

**Degradability** More than 90% biodegradable.

#### 13. DISPOSAL CONSIDERATIONS

**General information** Dispose of in compliance with all local and national regulations.

#### 14. TRANSPORT INFORMATION

**Further information** The product is not classifed as dangerous for carriage.

# Unicare professional

Revision 0

Revision date

#### 15. REGULATORY INFORMATION

Labelling The product is classified in accordance with 67/548/EEC.

Symbols Xi - Irritant



**Risk phrases** R36/38 - Irritating to eyes and skin.

Safety phrases S22 - Do not breathe dust.

#### **16. OTHER INFORMATION**

Text of risk phrases in

R11 - Highly flammable.

Section 2

R22 - Harmful if swallowed.

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed.

R36 - Irritating to eyes.

R36/38 - Irritating to eyes and skin.

R38 - Irritating to skin.

R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in

contact with skin and if swallowed. R41 - Risk of serious damage to eyes.

R43 - May cause sensitisation by skin contact.

R50 - Very toxic to aquatic organisms.

R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the

aquatic environment.

R8 - Contact with combustible material may cause fire.

**Further information** 

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. The product is biodegradable according to 648/2004 EEC.

Print date 18-Oct-2007