

# SAFETY DATA SHEET

Extra

UNICARE (CHEMICALS) LTD

## 1 Identification

### Product Identifier:

Extra

### Other means of identification:

Not applicable.

### Recommended use of the chemical and restriction on use:

Dishes washing liquid

### Supplier's details:

Unicare (Chemicals) Ltd,  
Aradhippou Industrial Area 7101,  
Larnaca, Cyprus, P.O Box 54088

**Tel.:** +357 24531766

**Fax:** +357 24532111

**Email:** team@unicaregroup.com

### Emergency phone number

1401

## 2 Hazard(s) identification

### **Classification of the substance or mixture**

***According to regulation (EC) No 1272/2008 [CLP]***

Serious Eye Damage / Irritation: Hazard Category 1

### **GHS Label Element**



### **Signal Word:**

Danger

### **Hazard Statements:**

Causes serious eye damage.

### **Precautionary Statement**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

### **Other hazards which do not result in classification**

#### **Results of PBT and vPvB assessment**

- PBT: Not applicable.

- vPvB: Not applicable.

### 3 Composition/information on ingredients

#### Mixture

Description	- CAS Number - EINECS Number - Reach registration number	Concentration (% w/w)	Note / Classification
Alcohols, C12-13-branched and linear, ethoxylated, sulfated, sodium salts	- 161074-79-9 - 500-314-4 - N/A	2 - 4	Skin Irrit. 2, H315; Eye Dam. 1, H318, Aquatic Chronic 3, H412  <u>Specific concentration limits:</u> 5-10% Eye Irrit. 2, H319 ≥ 10% Eye Dam. 1, H318
Cocamidopropyl betaine	- 147170-44-3 - 931-333-8 - 01-2119489410-39-0001	0.50 - 1.0	Eye Dam. 1, H318; Aquatic Chronic 3, H412
Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO) (sodium lauryl ether sulfate)	- 68891-38-3 - 500-234-8 - 01-2119488639-16	2.7 – 4.0	Skin Irrit. 2, H315; Eye Dam. 1, H318, Aquatic chronic 3, H412  <u>Specific concentration limit:</u> Eye Irrit. 2A: 5 - 10 % Eye Dam. 1: > 10 %

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

### 4 First-aid measures

#### Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, and consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms/effects, acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11. Further important symptoms and effects are so far not known.

#### Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## 5 Fire-fighting measures

### Extinguishing media

#### Flash Point & Method

None

#### Suitable Extinguishing Media

Pulverized water, foam, dry chemical & carbon dioxide

### Specific hazards arising from the chemical

Carbon monoxide, carbon dioxide, phosphorus oxides, hydrogen fluoride, formaldehyde, as well as other toxic vapours and gases which are common to thermal degradation (in case of fire) of organic compounds.

### Special protective actions for fire-fighters

Wear self-contained breathing apparatus and full protective gear.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Information regarding personal protective measures see, Section 8.

### Environmental precautions

No special precautions required.

### Methods and materials for containment and cleaning up

For residues: Pick up with suitable absorbent material.

Large Spillages: Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Avoid the spillage or runoff entering drains, sewers or watercourses. Flush away spillage with plenty of water.

Dispose of absorbed material in accordance with regulations.

For large amounts: Dike spillage. Pump off product.

## 7 Handling and storage

### Precautions for safe handling

No special measures necessary provided product is used correctly.

### Protection against fire and explosion

No special precautions necessary.

### Conditions for safe storage, including any incompatibilities

Further information on storage conditions: Keep container tightly closed and in a cool place.

#### Storage stability:

Storage temperature: 10 - 40 °C

The packed product is not damaged by low temperatures or by frost. Bulk must be protected from solidification.

Protect from temperatures above: 70 °C

### Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## 8 Exposure controls/personal protection

### Control parameters

**Ingredients with limit values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### Components with PNEC

**CAS: 161074-79-9: Alcohols, C12-13, branched and linear, ethoxylated, sulfated, sodium salts**

freshwater: 0.13 mg/l  
marine water: 0.013 mg/l  
intermittent release: 0.071 mg/l  
sewage treatment plant: 10 mg/l  
sediment (freshwater): 2.03 mg/kg  
sediment (marine water): 0.203 mg/kg  
soil: 0.328 mg/kg  
oral (secondary poisoning): No PNEC value available.

**CAS: 68891-38-3: Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)**

freshwater: 0.24 mg/l  
marine water: 0.024 mg/l  
intermittent release: 0.071 mg/l  
sewage treatment plant: 10000 mg/l  
sediment (freshwater): 0.9168 mg/kg  
sediment (marine water): 0.09168 mg/kg  
soil: 7.5 mg/kg  
oral (secondary poisoning): No PNEC value available.

### Components with DNEL

**CAS: 161074-79-9: Alcohols, C12-13, branched and linear, ethoxylated, sulfated, sodium salts**

worker: Long-term exposure-systemic effects, dermal: 2750 mg/m<sup>3</sup>  
worker: Long-term exposure-systemic effects, oral: 175 mg/kg  
worker: Long-term exposure-non-systemic effects, dermal: 0.132 mg/m<sup>2</sup>  
consumer: Long-term exposure-systemic effects, Inhalation: 15 mg/m<sup>3</sup>  
consumer: Long-term exposure-systemic effects, dermal: 1650 mg/kg  
consumer: Long-term exposure-systemic effects, oral: 52 mg/kg  
consumer: Long-term exposure-non systemic effects, oral: 0.079 mg/kg

**CAS: 68891-38-3: Alcohols, C12-14, ethoxylated, sulfates, sodium salts (> 1 < 2.5 mol EO)**

worker: Long-term exposure-systemic effects, Inhalation: 175 mg/m<sup>3</sup>  
worker: Long-term exposure-systemic effects, dermal: 2750 mg/kg  
consumer: Long-term exposure-systemic effects, Inhalation: 52 mg/m<sup>3</sup>  
consumer: Long-term exposure-systemic effects, dermal: 1650 mg/kg  
consumer: Long-term exposure-systemic effects, oral: 15 mg/kg

**Appropriate engineering controls:** Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

### **Personal protective equipment**

#### **Respiratory protection:**

Respiratory protection in case of vapour/aerosol release. (Particle filter EN 143 P2 or FFP2)

#### **Hand protection:**

Chemical resistant protective gloves. (EN 374)

Suitable materials also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374):

e.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), polyvinylchloride (0.7 mm) and other.

Supplementary note: The specifications are based on tests, literature data and information of glove manufacturers or are derived from similar substances by analogy. Due to many conditions (e.g. temperature) it must be considered, that the practical usage of a chemical-protective glove in practice may be much shorter than the permeation time determined through testing.

Manufacturer's directions for use should be observed because of great diversity of types.

#### **Eye protection:**

Tightly fitting safety goggles (cage goggles) (e.g. EN 166) and face shield.

#### **Body protection:**

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### **General safety and hygiene measures**

Wearing of closed work clothing is required additionally to the stated personal protection equipment. No eating, drinking, smoking or tobacco use at the place of work.

Handle in accordance with good industrial hygiene and safety practice.

## **9 Physical and chemical properties**

### **Physical and chemical properties**

#### **General Information**

- **Appearance:**
  - Form:** Liquid (viscous)
  - Colour:** Green
- **Odour:** Lemon
- **Odour threshold:** Not determined
- **pH-value:** 6.0 – 7.0
- **Specific gravity:** 1.02 – 1.04
- **Change in condition**
  - Melting point/Melting range:** Not determined
  - Boiling point/Boiling range:** Not determined
- **Flash point:** Not determined
- **Flammability (solid, gaseous):** Not applicable
- **Ignition temperature:** Not applicable
- **Decomposition temperature:** Not determined
- **Self-igniting:** Product is not self-igniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**
  - Lower:** Not determined.
  - Upper:** Not determined.
- **Vapour pressure at 20 °C:** Not determined
- **Density at 20 °C:** Not determined
- **Solubility in / Miscibility with water:** Miscible
- **Partition coefficient (*n*-octanol/water):** Not determined
- **Viscosity:**
  - Dynamic:** Not determined
  - Kinematic:** Not determined



## 10 Stability and reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

### Chemical stability

No specific test data related to reactivity available for this product or its ingredients.  
The product does not contain peroxides (or any other explosive chemicals).

### Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

### Conditions to avoid

See SDS Section 7 - Handling and storage.

### Incompatible materials

Substances to avoid:

Acids, Alkalines, caustics, halogens, reactive chemicals

### Hazardous decomposition products

No hazardous decomposition products if stored and handled as prescribed/indicated.

## 11 Toxicological information

***The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.***

### Toxicological (health) effects

**Acute toxicity:** Based on available data, the classification criteria are not met.

**Skin corrosion/irritation:** Assessment: the classification criteria are not met.

**Serious eye damage/irritation:** Assessment: Cause serious eye damage.

**Respiratory or skin sensitisation:** Assessment: Based on available data, the classification criteria are not met.

**Germ cell mutagenicity:** Assessment: Based on available data, the classification criteria are not met.

**Carcinogenicity:** Assessment: Based on available data, the classification criteria are not met.

**Reproductive toxicity:** Assessment: Based on available data, the classification criteria are not met.

**STOT-single exposure:** Assessment: Based on available data, the classification criteria are not met.

**STOT-repeated exposure:** Assessment: Based on available data, the classification criteria are not met.

**Aspiration hazard:** Assessment: No aspiration hazard expected.

**Symptoms related to the physical, chemical and toxicological characteristics:** Not available data.

**Numerical measures of toxicity (such as acute toxicity estimates):** Not available data.

***Toxicological Data: Alcohols, C12-13, branched and linear, ethoxylated, sulfated, sodium salts  
CAS: 161074-79-9)***

Acute oral toxicity:

LD<sub>50</sub> Rat: > 2.000 - 5.000 mg/kg; OECD Test Guideline 401 (literature value) Not classified.

Skin corrosion / irritation:	Rabbit: irritating; OECD Test Guideline 404; Causes skin irritation.
Serious eye damage/eye irritation:	Rabbit: highly irritating; OECD Test Guideline 405 (literature value) Test substance: Causes serious eye damage.
Respiratory or skin Sensitisation:	Maximisation Test (GPMT) Guinea pig: not sensitizing; OECD Test Guideline 406 Not classified.
Germ cell mutagenicity / Genotoxicity in vitro:	In vitro tests did not show mutagenic effects own test results/literature values. Not classified.
Carcinogenicity:	The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential. Not classified.
Reproductive toxicity:	Rat; drinking water NOAEL ((parents)): > 300 mg/kg (based on body weight and day) NOAEL (F1): > 300 mg/kg (based on body weight and day); OECD Test Guideline 416 (literature value).
Teratogenicity:	Rat; Oral NOAEL: > 1.000 mg/kg (based on body weight and day) NOAEL (pregnant female): > 1.000 mg/kg (based on body weight and day); OECD Test Guideline 414 (literature value). Not classified.
STOT - single exposure:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration hazard:	Not applicable.
Toxicological information:	Components of the product may be absorbed into the body by ingestion. The substance is poorly absorbed via skin. The substance is metabolised and excreted.

***Toxicological Data: Alcohols, C12-14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)***

Acute oral toxicity:	LD50 Rat: > 2.000 - 5.000 mg/kg; OECD Test Guideline 401 (literature value) Not classified.
Acute inhalation toxicity:	The study is not necessary. Sufficient data are available from alternative routes of exposure.
Acute dermal toxicity:	LD50 Rat: > 2.000 mg/kg; OECD Test Guideline 402 (literature value). Not classified.
Skin corrosion / irritation:	Rabbit: irritating; OECD Test Guideline 404 Causes skin irritation.
Serious eye damage/eye irritation:	Rabbit: highly irritating; OECD Test Guideline 405 (literature value) Test substance: Alcohols, C12-14 , ethoxylated, sulfated, sodium salts, ≥ 10% Causes serious eye damage.

Alcohols, C12-14 , ethoxylated, sulfated, sodium salts,  $\geq 5\%$  -  $< 10\%$  Causes serious eye irritation  
Test substance: Alcohols, C12-14 , ethoxylated, sulfated, sodium salts,  $< 5\%$  Not classified.

Respiratory or skin Sensitisation:	Maximisation Test (GPMT) Guinea pig: not sensitizing; OECD Test Guideline 406. Not classified.
Germ cell mutagenicity: Genotoxicity in vitro:	In vitro tests did not show mutagenic effects own test results/literature values
Genotoxicity in vivo:	In vivo tests did not show mutagenic effects (literature value). Not classified.
Carcinogenicity:	The substance has been shown to be not genotoxic, therefore it is not expected to have a carcinogenic potential. Not classified.
Reproductive toxicity:	Two-generation reproductive toxicity: Rat; drinking water NOAEL ((parents)): $> 300$ mg/kg (based on body weight and day) NOAEL (F1): $> 300$ mg/kg (based on body weight and day); OECD Test Guideline 416 (literature value)
Teratogenicity:	Not classified.  Rat; Oral NOAEL: $> 1.000$ mg/kg (based on body weight and day) NOAEL (pregnant female): $> 1.000$ mg/kg (based on body weight and day); OECD Test Guideline 414 (literature value). Not classified.
STOT - single exposure:	The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure:	The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Repeated dose toxicity	Rat; Oral; 90-day NOAEL: $> 225$ mg/kg (based on body weight and day); OECD Test Guideline 408 Target Organs: Liver Symptoms: Gastrointestinal disturbance, Liver disorders (literature value)
Aspiration hazard:	Not applicable.
Toxicological information:	Components of the product may be absorbed into the body by ingestion. The substance is poorly absorbed via skin. The substance is metabolised and excreted.

## Ecological information

### Toxicity:

#### Eco toxicity

No relevant information available.

#### Persistence and Degradability

No relevant information available.



### **Bioaccumulation**

No relevant information available.

### **Mobility in soil**

No relevant information available.

### **Other Adverse Effects**

No relevant information available.

### **Ecological Data on: Alcohols, C12-13-branched and linear, ethoxylated, sulfated, sodium salts (CAS: 161074-79-9)**

#### Toxicity to fish:

LC50: > 10 - 100 mg/l, *Leuciscus idus* (Screening (style of OECD 203))

#### Aquatic invertebrates:

EC50: > 10 - 100 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

#### Aquatic plants:

EC50: > 10 - 100 mg/l, *Scenedesmus subspicatus* (OECD Guideline 201)

#### Microorganisms / Effect on activated sludge:

EC50: > 100 mg/l, *Pseudomonas putida* (DIN 38412 Part 27 (draft))

#### Chronic toxicity to fish:

No observed effect concentration: > 1 - 10 mg/l, *Leuciscus idus*

#### Chronic toxicity to aquatic invertebrates:

No observed effect concentration: > 0.1 - 1 mg/l, *Daphnia magna*

### **Ecological Data on: Alcohols, C12-14, ethoxylated, sulfates, sodium salts (CAS: 68891-38-3)**

#### Toxicity to fish:

LC50: 1 - 10 mg/l, *Brachydanio rerio* (zebrafish)

#### Aquatic invertebrates:

EC50: > 1 - 10 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

#### Aquatic plants:

EC50: > 10 - 100 mg/l, *Scenedesmus subspicatus* (OECD Guideline 201)

#### Microorganisms / Effect on activated sludge:

EC50: > 10.000 mg/l, *Pseudomonas putida* (DIN 38412 Part 27 (draft))

#### Chronic toxicity to fish:

NOEC (28 d) *Oncorhynchus mykiss* (rainbow trout): 0,14 mg/l; mortality; (flow-through test; OECD Test Guideline 204 )

#### Chronic toxicity to aquatic invertebrates:

0,27 mg/l; *Daphnia magna* reproduction rate; flow-through test; (OECD Test Guideline 211, literature value)

## **13 Disposal considerations**

### **Disposal methods**

The generation of waste should be avoided or minimized wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.  
Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.  
Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

## 14 Transport information

**UN Number: ADR/RID, IMDG, IATA:** Not applicable.  
**UN Proper Shipping Name: ADR/RID, IMDG, IATA:** Not applicable.  
**Transport hazard class(es):** Not dangerous.  
**Packing group, if applicable:** Not applicable.  
**Environmental hazards:** Not applicable.  
**Special precaution for user:** Not necessary.  
**Transport in bulk according to Annex II of Marpol 73/78 and the IBCcode:** Not applicable.

## 15 Regulatory information

**Safety, health and environmental regulations specific for the product in question**

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I:** None of the ingredients is listed.

**Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

## 16 Other information

### Other Information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Abbreviations and acronyms:**

**ADR:** European Agreement concerning the International Carriage of Dangerous Goods by Road

**CAS:** Chemical Abstracts Service (division of the American Chemical Society)

**DNEL:** Derived No-Effect Level

**EINECS:** European Inventory of Existing Commercial Chemical Substances

**ELINCS:** European List of Notified Chemical Substances

**GHS:** Globally Harmonised System of Classification and Labelling of Chemicals

**IATA:** International Air Transport Association

**IMDG:** International Maritime Code for Dangerous Goods

**PBT:** Persistent, Bioaccumulative and Toxic

**PNEC:** Predicted No-Effect Concentration

**VOC:** Volatile Organic Compounds (USA, EU)

**vPvB:** very Persistent and very Bioaccumulative

**H315:** Causes skin irritation.

**H318:** Causes serious eye damage.

**H412:** Harmful to aquatic life with long lasting effects.

**Skin Irrit. 2:** Skin corrosion/irritation, Hazard Category 2

**Eye Dam. 1:** Serious eye damage / eye irritation; Hazard Category 1

**Eye Irrit. 2:** Serious eye damage / eye irritation, Hazard Category 2

**Aquatic Chronic 3:** Long-term aquatic hazardous, Hazard Category 3